

## DVA Array

### Digital Vertical Array

Advies VK prijs excl. B.T.W.    Advies VK prijs incl. 19% B.T.W.

<b>DVA T4</b>	Active 3- Way Line-Array Module, 1x 8" Neo Woofer, Bandpass Design, 1x 6.5" hornloaded Neo Midrange Woofer incl. Phaseplug, 2x1" Neo Compression Driver with 100°x15° CD-Horn, integrated Class- T Amp, 420 W / RMS, 24-bit DSP 96 KHz Sampling_Rate, 24-Bit AD-Converter, analog input limiter + 3-Band Compressor, PFC-Switchmode Supply, Polypropylen-Plastic Housing with integrated Flyware, 16 switchable presets, XLR-Input, XLR-Paralell-Output, Neutrik PowerCon incl. Slave-Out, 80 – 19.000 Hz, 128 dB SPL peak. Dimesions: 580x240x327mm, Weight 14 kg	<b>1.469,75</b>	<b>1.749,00</b>
<b>DVA T4 White</b>	Same as DVA T4 but in white	<b>1.469,75</b>	<b>1.749,00</b>
<b>DVA S08</b>	12" high power active bass-reflex subwoofer, 12"RCF Neodym Woofer, strong birch multiplex wood housing finished of with rugged black varnish, solid metal front grill, M20 thread on the top and side. Equipped with a 800W/RMS digipro digital power amp including switch mode supply. With powercon in- and out for mains connection. 800 W/RMS digipro®, max. SPL: 131 dB, Stereo Aktive X-Over, DSP 24 Bit/ 48 kHz. Weight: 26 kg, Dimensions: 370x515x500mm	<b>1.091,60</b>	<b>1.299,00</b>
<b>DVA S09</b>	Active Band-Pass Subwoofer, 1 x 15" RCF neodym-woofer with 4" Voice-Coil, birch multiplex housing, 4 handles, M20 thread for speaker pole, fly-hardware optionally avail., 1000 W/RMS digipro® Class-D power amp incl. switched mode supply with PFC, convection cooling, active x-over @ 90/120 Hz, phase reverse switch, soft-clip-Limiter, SPL 134dB peak, Weight 37,5kg, Dimensions: 515x440x720mm. Blue wheels can be optionally fitted.	<b>1.679,83</b>	<b>1.999,00</b>
<b>DVA S09 white</b>	Active Band-Pass Subwoofer, 1 x 15" RCF neodym-woofer with 4" Voice-Coil, birch multiplex housing, 4 handles, M20 thread for speaker pole, fly-hardware optionally avail., 1000 W/RMS digipro® Class-D power amp incl. switched mode supply with PFC, convection cooling, active x-over @ 90/120 Hz, phase reverse switch, soft-clip-Limiter, SPL 134dB peak, Weight 37,5kg, Dimensions: 515x440x720mm. Blue wheels can be optionally fitted. WHITE Version	<b>1.679,83</b>	<b>1.999,00</b>
<b>DVA S10</b>	Active Bandpass subwoofer, 18mm birch multiplex cabinet, black structured paint, 18" RCF Neodymium woofer, 1000W/RMS Class-D power amplifier, integrated active x-over, switchable 90/120Hz, 6 handles, M20 thread on top, phase reverse switch, soft clip limiter, freq.response 40Hz-150Hz, 136dB SPL	<b>2.268,07</b>	<b>2.699,00</b>
<b>DVA S20</b>	Active double 18" Neodym Subwoofer, Bassreflex Design, Birchwood Housing, 2x RCF18" Neodym Woofer with a 4" Voice Coil, integrated Class-D Amp, 2000 W/RMS, PFC.Switchmode-Supply, active X-over with switchable crossover frequency, , XLR-Input, XLR-Paralell-Output, Neutrik PowerCon incl. Slave-Out. Blue Wheels can be optionally fitted. 25 – 150 Hz, 138 dB SPL peak. Dimesions: 1100x580x700mm, Weight 70kg	<b>3.360,50</b>	<b>3.999,00</b>
<b>SDD Delay</b>	Delay Module for DVA S10/S20, adjustable 1.5-99,5ms, delay-signal-paraell-out.	<b>276,47</b>	<b>329,00</b>
<b>EASE Focus Software</b>	Simulation-Software EASE Focus inkl. DVA Data	<b>Free of charge</b>	<b>Free of charge</b>

## DVA Accessories

Advies VK prijs excl. B.T.W.    Advies VK prijs incl. 19% B.T.W.

<b>DRK-10</b>	Rigging-Kit for up to 10 x DVA T4	<b>800,84</b>	<b>953,00</b>
<b>DRK-10 white</b>	Same as DRK-10 but in white	<b>800,84</b>	<b>953,00</b>
<b>DSA-4</b>	Adapter for up to 3x DVA T4 on a speaker stand/pole or floor use through int.feet	<b>369,75</b>	<b>440,00</b>
<b>SRK 10</b>	Fly-Hardware-Set for DVA S10 for up to 2x S10 /8x DVA T4 on one DRK-10	<b>349,58</b>	<b>416,00</b>
<b>SRK 09</b>	Fly-Hardware-Set for DVA S10 for up to 1x S09 /8x DVA T4 on one DRK-10	<b>349,58</b>	<b>416,00</b>
<b>SRK 09 white</b>	Fly-Hardware-Set for DVA S10 for up to 1x S09 /8x DVA T4 on one DRK-10 white	<b>349,58</b>	<b>416,00</b>
<b>TC 09S</b>	Cover for DVA S09 Subwoofer	<b>58,82</b>	<b>70,00</b>
<b>TC 10S</b>	Cover for DVA S10 Subwoofer	<b>68,91</b>	<b>82,00</b>
<b>TC 20S</b>	Cover for DVA S20 Subwoofer	<b>84,87</b>	<b>101,00</b>
<b>DS 2</b>	Professional Pole Mount, adjustable, M20 thread	<b>51,26</b>	<b>61,00</b>
<b>DCK-45</b>	Cable-Set for 4x DVA T4 containing one Power-Con/EC Plug cable (10m) and 3x Power-Con Slave (0,5m) and 3x XLR Patch Cable (0,5m)	<b>325,20</b>	<b>386,99</b>
<b>DCK-15</b>	Cable-Set for 1x DVA T4 containing one Power-Con Patch Cable (0,5m) and one XLR Patch Cable (0,5m)	<b>80,61</b>	<b>95,93</b>
<b>DPC-15</b>	PowerCon Patch 0,5m	<b>50,00</b>	<b>59,50</b>
<b>DAC-15</b>	XLR-Patch 0,5m	<b>33,35</b>	<b>39,69</b>
<b>DWK-20</b>	Set with 4 x Prof. Bluewheel for DVA S20 Sub or DT-6 Trolley	<b>68,91</b>	<b>82,00</b>
<b>DVA case</b>	Professional Flight case for 4 x T4 and 1 x DRK10	<b>772,27</b>	<b>919,00</b>
<b>DRP</b>	Raincover for DVA T4	<b>66,39</b>	<b>79,00</b>
<b>DWB-3</b>	Wall-Mount-Adaptor for up to 3 DVA T4 for fixed installations	<b>400,00</b>	<b>476,00</b>
<b>DWB-3 white</b>	Wall-Mount-Adaptor for up to 3 DVA T4 for fixed installations white	<b>400,00</b>	<b>476,00</b>
<b>QL Pin</b>	Quick release pin for DVA T4 & DTF brackets	<b>29,41</b>	<b>35,00</b>

<b>DVX D</b> digital versatile speakers	Selfpowered, multifunctional high-end loudspeaker system, 18mm birch plywood, digipro™ digital power amp, PFC switch-mode supply, rotatable aluminum horn, RCF neodymium components	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.
--	---	---------------------------------	------------------------------------

<b>DVX D 8</b>	Selfpowered 2-way loudspeaker, 1x 8" RCF neodymium woofer with 2,5" VC, 1x 1" neodymium driver with 1,4" VC, rotatable CD-Horn 90°x70°, integrated digipro™ Class-D power amp with 300+100 W/RMS incl. switched mode power supply, integrated 24-Bit/48KHz DSP for active splitting (1,8KHz), phase-and time alignment, 2 EQ presets (FOH/Monitor); multipurpose housing with 1 handle, 6x M8, 2x quick release connector for DTF-8 flying bracket and pole mount adaptor. 45° angle for monitor applications, PowerCon mains input, frequency response (+3dB) 100Hz - 19KHz, SPL max. 125dB; dimensions 250x425x260mm, weight 8,5kg / 18,73 lbs.	<b>900,84</b>	<b>1.072,00</b>
<b>DVX D 10</b>	Selfpowered 2-way loudspeaker, 1 x 10" neodymium woofer with 2,5" VC, 1 x 1" neodymium driver with 1,4" VC, rotatable CD-Horn 90°x70°, integrated digipro™ Class-D power amp with 300+100 W/RMS incl. switched mode power supply, integrated 24-Bit/48KHz DSP for active splitting (1,6KHz), phase-and time alignment, 2 EQ presets (FOH/Monitor); multipurpose housing with 1 handle, 6x M8, 2x quick release connector for DTF-8 flying bracket and pole mount adaptor. 45° angle for monitor applications, PowerCon mains input, frequency response (+3dB) 85Hz - 19KHz, SPL max. 127dB; dimensions 290x510x310mm, weight 11kg / 24,25 lbs.	<b>1.135,29</b>	<b>1.351,00</b>
<b>DVX D 12</b>	Selfpowered 2-way loudspeaker system, 1x12" RCF Neo Woofer with 3" voice coil, 1x1,4" neodymium HF-driver with 2,5" voice coil, rotatable aluminium horn 60°x40, integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,3KHz), phase- and time alignment, 2 EQ presets (FOH/Monitor) multipurpose housing with 3 integrated handles, 6 x aeroquip-rails, 4 x M10, 4 x quick release, pole mount socket, 45° angle for monitor applications, PowerCon mains input with link-out, frequency response (+10dB) 55Hz-20KHz, SPL max. 131dB, dimensions 370x395x625mm, weight 22kg/48.4lbs	<b>1.548,74</b>	<b>1.843,00</b>
<b>DVX D 15</b>	Selfpowered 2-way loudspeaker system, 1x15" RCF Neo Woofer with 3" voice coil, 1x1,4" neodymium HF-driver with 2,5" voice coil, rotatable aluminium horn 60°x40, integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,3KHz), phase- and time alignment, 2 EQ presets (FOH/Monitor) multipurpose housing with 3 integrated handles, 6 x aeroquip-rails, 4 x M10, 4 x quick release, pole mount socket, 45° angle for monitor applications, PowerCon mains input with link-out, frequency response (+10dB) 49Hz-20KHz, SPL max. 132dB, dimensions 370x395x625mm, weight 25kg/55lbs	<b>1.652,10</b>	<b>1.966,00</b>

<b>DVX DM</b> digital stage monitors	Selfpowered "Ultra-Low-Profile" high-end stage monitor, 18mm birch plywood, integrated digipro™ Class-D power amp, PFC switch-mode supply, rotatable aluminum horn, RCF neodymium components	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.
---	--	---------------------------------	------------------------------------

<b>DVX DM 28</b>	Selfpowered 2-way stage monitor, 2 x 8" RCF neodymium woofers with 2,5" VC, 1 x 1" neodymium HF-driver with 1,75" VC, asymmetrical CD-Horn (30°+ 45°v), integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,6KHz), phase- and time alignment, 2 EQ presets (Fullrange/Monitor), 35° and 55° angle, PowerCon mains input with link-out, frequency response (+10dB) 70Hz-20KHz, SPL max. 130dB, 1,5mm metal backed grill with acoustic foam rubber, dimensions 480x265x418mm, weight 14kg/30.8lbs	<b>1.238,66</b>	<b>1.474,00</b>
<b>DVX DM 12</b>	Selfpowered 2-way stage monitor, 1 x 12" RCF neodymium woofer with 3" VC, 1 x 1,4" neodymium CD-driver with 2,5" VC, CD-Horn (40°+ 90°), integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,28KHz), phase- and time alignment, 2 EQ presets (Fullrange/Monitor), 30° and 60° angle, PowerCon mains input with link-out, 36mm pole mount, frequency response (+10dB) 55Hz-20KHz, SPL max. 131dB, 1,5mm metal backed grill with acoustic foam rubber, dimensions 660x305x378mm, weight 17,5kg/38,5lbs	<b>1.548,74</b>	<b>1.843,00</b>
<b>DVX DM15</b>	Selfpowered 2-way stage monitor, 1 x 15" RCF neodymium woofer with 3" VC, 1 x 1,4" neodymium CD-driver with 2,5" VC, CD-Horn (40°+ 90°), integrated digipro™ Class-D power amp with 500+250W/RMS and 1000W PFC switch mode supply, integrated audio controller for active splitting (1,28KHz), phase- and time alignment, 2 EQ presets (Fullrange/Monitor), 30° and 60° angle, PowerCon mains input with link-out, 36mm pole mount, frequency response (+10dB) 55Hz-20KHz, SPL max. 131dB, 1,5mm metal backed grill with acoustic foam rubber, dimensions 660x305x378mm, weight 17,5kg/38,5lbs	<b>1.652,10</b>	<b>1.966,00</b>

<b>DVX Accessories</b>	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.
------------------------	---------------------------------	------------------------------------

<b>DTF 8</b>	Easy mount bracket for DVX D8, includes 2x quick release pins	<b>139,50</b>	<b>166,00</b>
<b>DTF 10</b>	Easy mount bracket for DVX D10, includes 2x quick release pins	<b>139,50</b>	<b>166,00</b>
<b>DTF 12</b>	Easy mount bracket for DVX D12, includes 2x quick release pins	<b>229,41</b>	<b>273,00</b>
<b>DTF 15</b>	Easy mount bracket for DVX D15, includes 2x quick release pins	<b>229,41</b>	<b>273,00</b>
<b>QL Pin</b>	Quick release pin for DVA T4 and all DVX-D models	<b>29,41</b>	<b>35,00</b>
<b>TC8</b>	Cover for DVX D8	<b>39,50</b>	<b>47,00</b>
<b>TC10</b>	Cover for DVX D10	<b>39,50</b>	<b>47,00</b>
<b>TC12</b>	Cover for DVX D12	<b>45,38</b>	<b>54,00</b>
<b>TC15</b>	Cover for DVX D15	<b>48,74</b>	<b>58,00</b>
<b>TC12M</b>	Cover for DVX DM12	<b>45,38</b>	<b>54,00</b>
<b>TC15M</b>	Cover for DVX DM15	<b>48,74</b>	<b>58,00</b>
<b>TC28M</b>	Cover for DVX DM28	<b>45,38</b>	<b>54,00</b>
<b>TE M10</b>	Eye-bolt set with M10-thread for DVX D12/D15	<b>22,69</b>	<b>27,00</b>
<b>TE M8</b>	Eye-bolt set with M8-thread for DVX D8/D10	<b>22,69</b>	<b>27,00</b>

## ARENA PRO premium passive speakers

Passive loudspeaker systems, 15mm plywood, high quality RCF components, rotatable high-frequency, wide dispersion aluminum horns, multipurpose housing (except subwoofers) and slanted backside, 12 rigging point and pole mount, PTC tweeter protection, Neutric speaker connectors, 1,5mm metal backed grill with acoustic foam rubber

Advies VK prijs  
excl. B.T.W. Advies VK prijs  
incl.19% B.T.W.

<b>ARENA 8 PRO</b>	Passive 2-way speaker, 8" RCF woofer with 2" VC and 1" neodymium compression driver with 1,4" VC, rotatable 90°x70° aluminium-horn, 8 ohm, multifunctional housing, slanted backside, speaker pole, integrated handle, 12 professional rigging points M8 threaded, 300W/RMS, 600WPRG, 75Hz-20KHz, sensitivity 94dB 1W/1m, SPL 125dB peak, dimensions 270x458x270mm, weight 10,9 kg/24lbs, including protective cover	<b>500,00</b>	<b>595,00</b>
<b>ARENA 10 PRO</b>	Passive 2-way speaker, 10" RCF woofer with 2" VC and 1" neodymium compression driver with 1,4" VC, rotatable 90°x70° aluminium-horn, 8 ohm, multifunctional housing, slanted backside, speaker pole, integrated handle, 10 professional rigging points M8 threaded, 300W/RMS, 600WPRG, 70Hz-20KHz, sensitivity 96dB 1W/1m, SPL 127dB peak, dimensions 321x508x320mm, weight 14,2 kg/31,3lbs, including protective cover	<b>600,00</b>	<b>714,00</b>
<b>ARENA 12 PRO</b>	Passive 2-way speaker, 12" RCF woofer with 3" VC and 1,4" neodymium compression driver with 2,5" VC, rotatable 90°x70° aluminium-horn, 8 ohm, multifunctional housing, slanted backside, speaker pole, integrated handle, 12 professional rigging points M10 threaded, 500W/RMS, 1000WPRG, 60Hz-20KHz, sensitivity 100dB 1W/1m, SPL 133dB peak, dimensions 379x631x378mm, weight 22,1 kg/48,7lbs, including protective cover	<b>900,84</b>	<b>1.072,00</b>
<b>ARENA 15 PRO</b>	Passive 2-way speaker, 15" RCF woofer with 3" VC and 1,4" neodymium compression driver with 2,5" VC, rotatable 90°x70° aluminium-horn, 8 ohm, multifunctional housing, slanted backside, speaker pole, integrated handle, 12 professional rigging points M10 threaded, 500W/RMS, 1000WPRG, 60Hz-20KHz, sensitivity 100dB 1W/1m, SPL 133dB peak, dimensions 458x710x453mm, weight 26,2 kg/57,7lbs, including protective cover	<b>1.000,84</b>	<b>1.191,00</b>
<b>ARENA SW15 PRO</b>	Passive subwoofer, 15" RCF woofer with 3" VC, bassreflex design, 600W/RMS 1200W/PRG, 35-150Hz, sensitivity 99dB 1W/1m, SPL 132dB peak, multiplex-wood incl. 2 handles, M20 threaded shaft for pole mount, threaded shafts on the backside for a set of casters, dimensions 460x600x600mm, weight 34,8 kg/76,56lbs	<b>780,67</b>	<b>929,00</b>
<b>ARENA SW18 PRO</b>	Passive subwoofer, 18" RCF neodymium woofer with 4" VC, bassreflex design, 1000W/RMS 2000W/PRG, 28-150Hz, sensitivity 98dB 1W/1m, SPL 134dB peak, multiplex-wood incl. 2 handles, M20 threaded shaft for pole mount, threaded shafts on the backside for a set of casters, dimensions 565x700x700mm, weight 43,2 kg/95,23lbs	<b>1.000,84</b>	<b>1.191,00</b>

## ARENA PRO Accessories

Advies VK prijs  
excl. B.T.W. Advies VK prijs  
incl.19% B.T.W.

<b>WBA 810-WB06</b>	Wallmount bracket, adjustable for ARENA 8 PRO, Arena 10 PRO and LIVE210	<b>189,08</b>	<b>225,00</b>
<b>WBA 08</b>	Wallmount bracket for ARENA 8 PRO	<b>84,87</b>	<b>101,00</b>
<b>WBA 10</b>	Wallmount bracket for ARENA 10 PRO	<b>99,16</b>	<b>118,00</b>
<b>WBA 12</b>	Wallmount bracket for ARENA 12 PRO	<b>109,24</b>	<b>130,00</b>
<b>WBA 15</b>	Wallmount bracket for ARENA 15 PRO	<b>119,33</b>	<b>142,00</b>
<b>TE M 8</b>	Eyebolts Set M8 for ARENA 8 PRO and ARENA 10 PRO	<b>22,69</b>	<b>27,00</b>
<b>TE M10</b>	Eyebolts Set M10 for ARENA 12 PRO and ARENA 15 PRO	<b>22,69</b>	<b>27,00</b>
<b>DS 2</b>	Professional Pole Mount, adjustable, M20 thread	<b>51,26</b>	<b>61,00</b>
<b>DWK-20</b>	Set with 4 x Prof. Bluewheel for DVA S20 Sub or DT-6 Trolley	<b>68,91</b>	<b>82,00</b>

## Controller

Advies VK prijs  
excl. B.T.W. Advies VK prijs  
incl.19% B.T.W.

<b>ASX 18</b>	2-way X-over / Controller for STAGE OPERA System.2 x XLR-Input, 4 x XLR-Output, 1 HE, 18 dB 3rd with 80, 100, 200 and 250 Hz frequency cards, Bass-Output.	<b>149,58</b>	<b>178,00</b>
<b>DSX 2040</b>	Digital 2 in 4 controller, 48KHz/32-bit signal processing, dynamic range >110dB(A), 3000ms total delay, 4 parameter. EQs per in- and output, programmable x-over and routing-section, editable limiter per output, large LC-Display, bank for 30 presets, USB-interface for programming and data-transfer, 19", 1U, in- and outputs on balanced XLR.	<b>900,84</b>	<b>1.072,00</b>

## HPA Amplifier high power amplifiers

Advies VK prijs  
excl. B.T.W. Advies VK prijs  
incl.19% B.T.W.

<b>HPA 1000</b>	Class-HD power amp with 2 x 150W @ 4Ohms, 2 x 330W @ 8 Ohms, 1 x 1020W @ 8 Ohms Damping factor >300, slew rate 50V/μs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x402mm, weight 15 kg/33lbs	<b>379,83</b>	<b>452,00</b>
<b>HPA 1400</b>	Class-HD power amp with 2 x 740W @ 4Ohms, 2 x 440W @ 8 Ohms, 1 x 1480W @ 8 Ohms damping factor >300, slew rate 50V/μs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 17 kg/37,47lbs	<b>449,58</b>	<b>535,00</b>
<b>HPA 2800</b>	Class-HD power amp with 2 x 1400W @ 2 Ohms, 2 x 1050W @ 4 Ohms, 2 x 680W @ 8 Ohms, 1 x 2800W @ 4 Ohms damping factor >300, slew rate 50V/μs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 21 kg/46,29lbs	<b>620,17</b>	<b>738,00</b>
<b>HPA 3100 L</b>	Class-HD power amp with switch-mode supply, 2 x 1700W @ 2 Ohms, 2 x 1200W @ 4 Ohms, 2 x 800W @ 8 Ohms, 1 x 3400W @ 4 Ohm, 1 x 2400W @ 8 Ohms, damping factor >300, slew rate 50V/μs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 14 kg/30,86lbs	<b>880,67</b>	<b>1.048,00</b>

**FLEXSYS SYSTEMS**  
digital powered speakers

Advies VK prijs excl. B.T.W. Advies VK prijs incl.19% B.T.W.

<b>FLEXSYS Presenter System</b>	Selfpowered 3-way system with a total power of 1200 W/RMS, combined out of 2 x FLEXSYS F8 selfpowered 8"/1" speaker with 200W/RMS and 2 x SUB 12 selfpowered 12" subwoofer with 400W/RMS; includes 2x DS2 speaker poles.	<b>1.907,56</b>	<b>2.270,00</b>
<b>FLEXSYS Event System</b>	Selfpowered 3-way system with a total power of 1200 W/RMS, combined out of 2 x FLEXSYS F10 selfpowered 10"/1" speaker with 200W/RMS and 2 x SUB 05 selfpowered 12" subwoofer with 400W/RMS; includes 2x DS2 speaker poles.	<b>2.295,80</b>	<b>2.732,00</b>
<b>FLEXSYS Band SYSTEM</b>	Selfpowered 3-way system with a total power of 2400 W/RMS, fully equipped with digipro® digital power amps, combined out of 2 x FLEXSYS F12 selfpowered 12"/1" speaker with 400W/RMS and 2 x SUB 15D selfpowered 15" subwoofer mit 800W/RMS; includes 2x DS2 speaker poles and 2 x Co1 cable.	<b>3.205,88</b>	<b>3.815,00</b>
<b>FLEXSYS GALA SYSTEM</b>	Selfpowered 3-way system with a total power of 4700W/RMS, equipped with digipro™ digital power amps. The system contains following products: 2 x FLEXSYS F212 selfpowered 2-way speaker with 750W/RMS and 4 x SUB15D, selfpowered digital subwoofer with 800W/RMS; shipped with 4 x 0,5m PowerCon-link-cable	<b>6.199,16</b>	<b>7.377,00</b>
<b>FLEXSYS CONCERT System</b>	Selfpowered 3-way system with a total power of 5500 W/RMS, equipped with digipro™ digital power amps. The system contains following products: 2 x FLEXSYS F212 selfpowered 2-way speaker with 750W/RMS and 4 x SUB18D, selfpowered digital subwoofer with 1000 W/RMS; shipped with 4 x 0,5m PowerCon-link-cable	<b>7.749,58</b>	<b>9.222,00</b>

**FLEXSYS**  
digital powered speakers

Selfpowered 2-way loudspeaker system, integrated digipro™ Class-D power amp, integrated audio controller for active splitting, phase- and time alignment, system setup, plywood cabinet with 12 integrated M10 rigging points, powerCon mains input

Advies VK prijs excl. B.T.W. Advies VK prijs incl.19% B.T.W.

<b>F 8</b>	Selfpowered 2-way speaker with integrated 200W/RMS digipro® digital bi-amp power amp, 24-Bit/48KHz DSP, 1 x 8" woofer with 1,5"VC, 1" neodymium driver with rotatable asymm. 90°/40°x60° horn, 10 x M8-rigging points, 1 handle on top, 75-19.000Hz (+-3dB), cut off frequency at 2050Hz/24dB oct., max. SPL peak 121 dB, dimensions 260x420x260mm, weight 9,5 Kg / 20,94 lbs.	<b>469,75</b>	<b>559,00</b>
<b>F 10</b>	Selfpowered 2-way speaker with integrated 200W/RMS digipro® digital bi-amp power amp, 24-Bit/48KHz DSP, 1 x 10" woofer with 1,5"VC, 1" neodymium driver with rotatable asymm. 90°/40°x60° horn, 12 x M8-rigging points, 1 handle on top, 70-19.000Hz (+-3dB), cut off frequency at 2050Hz/24dB oct., max. SPL peak 125 dB, dimensions 300x483x300mm, weight 12 Kg / 26,45 lbs.	<b>530,25</b>	<b>631,00</b>
<b>F 12</b>	Selfpowered 2-way speaker with integrated 400W/RMS digipro® digital bi-amp power amp, 24-Bit/48KHz DSP, 1 x 12" woofer with 2 "VC, 1" compression driver with rotatable 90°x40° horn, 12 x M10-rigging points, 3 handles (1xtop,2x sides)65-19.000Hz (+-3dB), cut off frequency at 1800Hz/24dB oct., max. SPL peak 127 dB, dimensions 360x610x360mm, weight 16,5 Kg / 36,37 lbs.	<b>740,34</b>	<b>881,00</b>
<b>F 15</b>	Selfpowered 2-way speaker with integrated 400W/RMS digipro® digital bi-amp power amp, 24-Bit/48KHz DSP, 1 x 15" woofer with 2 "VC, 1" compression driver with rotatable 90°x40° horn, 12 x M10-rigging points, 3 handles (1xtop,2x sides)55-19.000Hz (+-3dB), cut off frequency at 1800Hz/24dB oct., max. SPL peak 128 dB, dimensions 430x680x430mm, weight 20 Kg / 44,09 lbs.	<b>850,42</b>	<b>1.012,00</b>
<b>F 212</b>	Selfpowered 2-way loudspeaker, integrated 750W/RMS digipro™ digital power amp, 2 x 12" high power woofers incl. ADC™ phase alignment, 1 x 1" RCF neodymium compression driver with 1,75" VC, rotatable 60°x40° horn, 12 x M10 rigging points, integrated tilt unit, Setups: Single/Cluster, SPL max. 132 dB 50Hz-20KHz, dimensions 360x930x500mm, weight 31,5 kg/69,44lbs	<b>1.342,02</b>	<b>1.597,00</b>
<b>F 315</b>	Selfpowered 3-way loudspeaker, integrated 750W/RMS digipro™ digital power amp, 1 x 15" high power woofer, 1x 6" hornloaded mid range driver, 1 x 1" compression driver with 1,5" VC, rotatable 90°x40° CD-Horn, 12 x M10 rigging points, SPL max. 131 dB, 47Hz-20KHz, dimensions 440x880x500mm, weight 31 kg/68,2lbs	<b>1.445,38</b>	<b>1.720,00</b>

**M-Plus**  
class-H powered monitors

Class-H-Active-Speaker 18mm poplar Multiplex Cabinet Neutrik® XLR-/Jack inputs, XLR-Parallel-Out, Limiter.

Advies VK prijs excl. B.T.W. Advies VK prijs incl.19% B.T.W.

<b>M10-2 PLUS</b>	Bi-Amp 2-Way Active Monitor, 1x10" woofer with 2" coil, 1"Comp. Driver with CD-Horn 90°x70° rotatable, 150+50 W/ RMS, 120 dB SPL max, freq.response 70Hz-19kHz (-3dB), crossover freq. 2000Hz @24dB/octave, volume and variable EQ control, Limiter,1.2mm metal grill black painted, 10mm acoustic foam, one handle. Multi-angle use 25°/55° Dimensions: 380x286x493	<b>412,61</b>	<b>491,00</b>
<b>M12-4 PLUS</b>	Bi-Amp 2-Way Active Monitor, 1x12" woofer with 2" coil, 1"Comp. Driver with CD-Horn 90°x70° rotatable, 250+50 W/ RMS, 126 dB SPL max, freq.response 68Hz-19kHz (-3dB), crossover freq. 1900Hz @24dB/octave, volume and variable EQ control, Limiter,1.2mm metal grill black painted, 10mm acoustic foam, one handle. Multi-angle use 30°/60° 3xM10 threads, 35mm stand. Dimensions: 400x387x525adaptor.	<b>573,95</b>	<b>683,00</b>

**SUBdigital**  
digital powered subwoofers

Selfpowered subwoofer with digipro™ digital power amp, fits with the OPERA- and FLEXSYS-Series, plywood-housing, 2 x XLR-Input, 2 x XLR-Out (parallel/X-Over switchable ) PowerCon mains input/link, M20 thread for pole mount

Advies VK prijs excl. B.T.W. Advies VK prijs incl.19% B.T.W.

<b>SUB 15 D</b>	Selfpowered 15" subwoofer with integrated 800W/RMS digipro™ digital power amp, plywood-bandpass housing, integrated active X-Over Mono/Stereo with switchable crossover frequency 90/120Hz, SPL max.133 dB, 35-120Hz, dimensions 436x600x600mm, weight 31 kg/68,34lbs	<b>900,84</b>	<b>1.072,00</b>
<b>SUB 18 D</b>	Selfpowered 18" subwoofer with integrated 1000 W/RMS digipro™ digital power amp, plywood-bandpass housing, integrated active X-Over Mono/Stereo with switchable crossover frequency 90/120Hz, SPL max.133 dB, 35-120Hz, dimensions 530x700x600mm, weight 38 kg/83,77lbs	<b>1.301,68</b>	<b>1.549,00</b>

<b>SUB</b> class-H powered subwoofers	Low noise, high power amplifiers perfectly matched to each system's LF & HF Drivers. Active crossover with tuned slope, filters for precise directivity control at crossover point, Intelligent dynamic limiter for Max SPL, Inset carrying / lift handles and / or internal socket for stand mounting Bal XLR/ Jack combo inputs and outputs for linking Pre-Amp with Mic/Line XLR input and Gain Control. All models built with multi-ply Baltic birch	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.
--	--	---------------------------------	------------------------------------

<b>SUB 12</b>	12" Long throw Woofer, 800 W / Music, 400 W / RMS, 127 dB SPL max, 40-150 Hz. Crossover @100 Hz. Dimensions 14x20x20 in, Weight 42 lbs / 19KG	<b>515,97</b>	<b>614,00</b>
<b>SUB 05</b>	Active Subwoofer, Bandpass Design, Class H power amp with 800 W / Music 400 W / RMS, 129 dB SPL max. 30-150 Hz, active Mono / Stereo X-Over @ 100 Hz. Dimensions 430x550x600 mm, Weight 27 Kg	<b>619,33</b>	<b>737,00</b>

<b>OPERA digital</b> BiAmp Active Speaker	Selfpowered 2-way bi-amp speaker with integrated <b>digipro</b> digital power amp and switched mode supply (except 208/210D), convectional cooling, multipurpose housing made out of Polypropylen, asymmetric CD-Horn 80°/65°x60°, XLR- and Jack inputs with switchable MIC/LINE-sensitivity, XLR-Parallel-Out, DSP 24bit/48Khz incl. limiter, dampening, phase- and timealignment 2 sound-setups, slanted back for 45° floor monitor use, pole mount adaptor, rugged grill with acoustic foam, IEC socket.flv/wallmountbrackets and covers optionally available	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.
--	--	---------------------------------	------------------------------------

<b>OPERA 208 D</b>	8" woofer with 1,5"VC, 1" neodymium driver with asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 150+50 W/RMS, 400 W/PRG, 24bit/48Khz DSP, frequency range 78-19.000hz (+3dB), max. SPL peak 121dB, cut off frequency 2050Hz, dimensions 300x484x284 mm, weight 8,4 Kg/18,51 lbs.	<b>333,61</b>	<b>397,00</b>
<b>OPERA 210 D</b>	10" woofer with 1,5"VC, 1" neodymium driver with asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 150+50 W/RMS, 400 W/PRG, 24bit/48Khz DSP, frequency range 71-19.000hz (+3dB), max. SPL peak 122dB, cut off frequency 2050Hz, dimensions 343x553x304 mm, weight 9,8 Kg/21,60lbs	<b>369,75</b>	<b>440,00</b>
<b>OPERA 410 D</b>	10" woofer with 2"VC, 1" compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 300+100 W/RMS, 800 W/PRG, 24bit/48Khz DSP, frequency range 70-19.000hz (+3dB), max. SPL peak 127dB, cut off frequency 1940Hz, dimensions 343x553x304 mm, weight 10,6 Kg/23,36lbs.	<b>444,54</b>	<b>529,00</b>
<b>OPERA 402 D</b>	12" woofer with 2"VC, 1" compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 300+100 W/RMS, 800 W/PRG, 24bit/48Khz DSP, frequency range 70-19.000hz (+3dB), max. SPL peak 128dB, cut off frequency 1870Hz, dimensions 432x655x353 mm, weight 14,1 Kg/31,08lbs.	<b>550,42</b>	<b>655,00</b>
<b>OPERA 405 D</b>	15" woofer mit 2"VC, 1" compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 300+100 W/RMS, 800 W/PRG, 24bit/48Khz DSP, frequency range 58-19.000hz (+3dB), max. SPL peak 128dB, cut off frequency 1870Hz, dimmesnsions 432x655x353 mm, weight 14,5 Kg/31,96lbs.	<b>600,00</b>	<b>714,00</b>
<b>OPERA 610 D</b>	10" neodymium woofer with 3"VC, 1" neodymium compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 400+200 W/RMS, 24bit/48Khz DSP, frequency range 60-20.000hz (-10dB), max. SPL peak 128dB, dimensions 343x553x304 mm, weight 9,9 Kg.	<b>700,84</b>	<b>834,00</b>
<b>OPERA 602 D</b>	12" neodymium woofer with 3"VC, 1" neodymium compression driver 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 400+200 W/RMS, 1200 W/PRG, 24bit/48Khz DSP, frequency range 68-19.000hz (+3dB), max. SPL peak 129dB, cut off frequency 1690Hz, dimensions 432x655x353 mm, weight 12,4 Kg/27,33lbs.	<b>800,84</b>	<b>953,00</b>
<b>OPERA 605 D</b>	15" neodymium woofer with 3"VC, 1" neodymium compression driver with 1,4" VC and asym. CD-Horn 80°/65°x60°, Class-D Bi-Amp 400+200 W/RMS, 1200 W/PRG, 24bit/48Khz DSP, frequency range 58-19.000hz (+3dB), max. SPL peak 130dB, cut off frequency 1670Hz, dimensions 432x655x353 mm, weight 12,9 Kg/28,43lbs.	<b>900,84</b>	<b>1.072,00</b>

<b>OPERA SYSTEMS</b> Active Speaker Systems	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.
--	---------------------------------	------------------------------------

<b>Entertainer SD</b>	Selfpowered 3-way system composed of 2 x OPERA 208 D and 1 x SUB05 subwoofer , total power 800 W/RMS, 1600 W/PRG	<b>1.201,68</b>	<b>1.430,00</b>
<b>Entertainer MD</b>	Selfpowered 3-way system composed of 2 x OPERA 210 D and 1 x SUB15D subwoofer , total power 1200 W/RMS, 2400 W/PRG	<b>1.602,52</b>	<b>1.907,00</b>
<b>Entertainer XD</b>	Selfpowered 3-way system composed of 2 x OPERA 402 D and 1 x SUB18D subwoofer , total power 1800 W/RMS, 3600W/PRG	<b>2.304,20</b>	<b>2.742,00</b>
<b>Club XD8</b>	Selfpowered 3-way system composed of 2 x OPERA 208 D and 2 x SUB12 subwoofer , total power 1200 W/RMS, 2400 W/PRG	<b>1.631,93</b>	<b>1.942,00</b>
<b>Club XD10</b>	Selfpowered 3-way system composed of 2 x OPERA 410 D and 2 x SUB15D subwoofer , total power 2400 W/RMS, 4800 W/PRG	<b>2.604,20</b>	<b>3.099,00</b>
<b>Club XD12</b>	Selfpowered 3-way system composed of 2 x OPERA 402 D and 2 x SUB15D subwoofer , total power 2400 W/RMS, 4800 W/PRG	<b>2.805,04</b>	<b>3.338,00</b>
<b>Club XD15</b>	Selfpowered 3-way system composed of 2 x OPERA 605 D and 2 x SUB18D subwoofer , total power 3200 W/RMS, 6400 W/PRG	<b>4.007,56</b>	<b>4.769,00</b>

<b>CROMO Series</b>	The Cromo Series features the ultra compact digipack digital power amplifiers, based on the successful digipro amp technology for maximum efficiency. The integrated digital sound processor (DSP) caters for perfect sound calibration of the individual speaker components. A compact multifunctional housing of the Cromo speaker line, with asymmetrical CD Horns. All Cromo models have a microphone input on XLR and Jack sockets for maximum flexibility.	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.
---------------------	--	---------------------------------	------------------------------------

<b>Cromo 8</b>	8" dB Bass, 1" HF driver, 100W, 118 dB SPL max, Dimensions 270x435x252 mm, Weight 9,9 KG	<b>249,58</b>	<b>297,00</b>
<b>Cromo 10</b>	10" dB Bass, 1" HF driver, 200W, 121 dB SPL max, Dimensions 320x508x297 mm, Weight 12 KG	<b>300,00</b>	<b>357,00</b>
<b>Cromo 12</b>	12" dB Bass, 1" HF driver, 300W, 126 dB SPL max, Dimensions 402x615x356mm, Weight 18,5 KG	<b>369,75</b>	<b>440,00</b>

## CROMO Systems

Advies VK prijs excl. B.T.W. Advies VK prijs incl.19% B.T.W.

<b>Cromo CS 8 System</b>	System composed of 2 x Cromo 8 and 1 x SUB12 subwoofer	<b>982,35</b>	<b>1.169,00</b>
<b>Cromo CM 10 System</b>	System composed of 2 x Cromo 10 and 1 x SUB05 subwoofer	<b>1.151,26</b>	<b>1.370,00</b>
<b>Cromo CL 12 System</b>	System composed of 2 x Cromo 12 and 1 x SUB05 subwoofer	<b>1.852,94</b>	<b>2.205,00</b>

## K Series

### Compact Active Speaker

Active Compact Speaker, 90°x90° dispersion, with XLR- and Jack Mic/Line input and additional Stereo RCA input, soft clip limiter on the input stage, optional Handle AK50 and stand adaptors SN120/SN130 are available.

Advies VK prijs excl. B.T.W. Advies VK prijs incl.19% B.T.W.

<b>K 70</b>	1x5" dB Bass + Tweeter, 100 W / Music, 50 W / RMS, 101 dB SPL max, 100 – 16.000Hz, Dimensions 170x270x185 mm, Weight 3,5 Kg	<b>149,58</b>	<b>178,00</b>
<b>K 162</b>	2 x 6,5" dB Bass + Tweeter, 130 W / Music, 65 W / RMS, 110 dB SPL max, 85 – 19.000 Hz, Dimensions 210x350x270mm, Weight 5,5 Kg	<b>178,99</b>	<b>213,00</b>
<b>K 300</b>	2 x 6,5" neodymium woofer with 1,5"VC, 1" neodymium driver with CD-Horn 80°x60°, Class-D Bi-Amp 80+40 W/RMS, 240 W/PRG, 24bit/48KHz DSP, frequency range 70-19.000hz (+-3dB), max. SPL peak 118dB, cut off frequency 1720Hz, dimensions 210x350x270 mm, weight 5 Kg/11,02lbs.	<b>279,83</b>	<b>333,00</b>

## L Series

### Compact Active Speaker

Active broadband compact speaker incl. XLR- and Jack Mic-Line-Input and additional Stereo-RCA input, Softclip limiter, Wallmountbracket WB03, Standadaptor SN120/SN130 optionally available

Advies VK prijs excl. B.T.W. Advies VK prijs incl.19% B.T.W.

<b>L 80</b>	2x5" broadband chassis with phase correction, 80 W music / 40 W RMS, 100dB SPL max, 65-17.000Hz, dimensions: 195x195x317 mm, Weight 3,1 Kg.	<b>199,16</b>	<b>237,00</b>
<b>L 160</b>	2x5" broadband chassis with phase correction, 160 W music / 80 W RMS, 103dB SPL max, 65-17.000Hz, dimensions: 195x195x317 mm, Weight 4,6 Kg.	<b>239,50</b>	<b>285,00</b>

## Accessories

from page 6 to 8

Advies VK prijs excl. B.T.W. Advies VK prijs incl.19% B.T.W.

### Transport Accessories

<b>TT 01</b>	Cover for OPERA MKI/MKII/LYRIC/Modular/Passiv 302/305	<b>41,18</b>	<b>49,00</b>
<b>TT 02</b>	Cover for Basic100, OPERA 110, Live210, TWIN	<b>41,18</b>	<b>49,00</b>
<b>TT 03</b>	Cover for Basic200 / 400	<b>41,18</b>	<b>49,00</b>
<b>TT 04</b>	Cover for OPERA LIVE 202, 205, 402, 405	<b>41,18</b>	<b>49,00</b>
<b>TT 06</b>	Cover for K-Series & Mobile50	<b>31,09</b>	<b>37,00</b>
<b>TT OP 08</b>	Cover for OPERA 208 D	<b>35,29</b>	<b>42,00</b>
<b>TT OP 10</b>	Cover for OPERA 210 D & 410 D	<b>41,18</b>	<b>49,00</b>
<b>TT OP 25</b>	Cover for OPERA 402 D / 405 D / 602 D / 605 D	<b>43,70</b>	<b>52,00</b>
<b>TC S15D</b>	Cover for SUB 15D	<b>56,30</b>	<b>67,00</b>
<b>TC S18D</b>	Cover for SUB 18D	<b>63,03</b>	<b>75,00</b>
<b>TC F8</b>	Cover for Flexsys F8	<b>36,97</b>	<b>44,00</b>
<b>TC F10</b>	Cover for Flexsys F10	<b>36,97</b>	<b>44,00</b>
<b>TC F12</b>	Cover for Flexsys F12	<b>41,18</b>	<b>49,00</b>
<b>TC F15</b>	Cover for Flexsys F15	<b>47,06</b>	<b>56,00</b>
<b>TC F212</b>	Cover for Flexsys F212	<b>83,19</b>	<b>99,00</b>
<b>TC F315</b>	Cover for Flexsys F315	<b>83,19</b>	<b>99,00</b>
<b>SWK-18</b>	4 x 100mm wheels for SUB18 D	<b>72,27</b>	<b>86,00</b>

### Speaker Poles/ Adaptors

<b>DS-1</b>	Speaker Pole 35mm for SUB 12, 05, 15, height adjustable	<b>51,26</b>	<b>61,00</b>
<b>DS-2</b>	Speaker Pole with M20-thread for SUB 15D and SUB 18D	<b>51,26</b>	<b>61,00</b>
<b>SSB-2</b>	2 Speaker Stands aluminium, black, incl. bag	<b>73,11</b>	<b>87,00</b>
<b>SN 120</b>	Speaker Stand adaptor for L80/160, M80/160, K-Series	<b>35,29</b>	<b>42,00</b>
<b>SN 130</b>	microphone Stand adaptor for L80/160, M80/160, K-Series	<b>35,29</b>	<b>42,00</b>

### Cables

<b>C-01</b>	PowerCon-Out cable IEC, 2m	<b>30,25</b>	<b>36,00</b>
<b>AFL05</b>	PowerCon-link cable, 1m	<b>26,05</b>	<b>31,00</b>

Brackets / Eye Bolts			
TE M8	4 x M8-Eye bolt for Flexsys F8/F10	20,17	24,00
TE M10	4 x M10-Eye bolt for Flexsys F12/15/212/315	20,17	24,00
WB 02	U-bracket (vertical) wallmount bracket for OPERA MKI/MKII/LYRIC/ Modular/ Passiv	60,50	72,00
WB 03	Swivel and tilt wallmount bracket for L80/160, M80/160, K-Serie, black	29,41	35,00
WB 03 W	Swivel and tilt wallmount bracket for L80/160, M80/160, K-Serie, white	29,41	35,00
WB 04	U-bracket (vertical) for Basic100, OPERA 110, Live210, TWIN, black	55,46	66,00
WB 04 W	U-bracket (vertical) for Basic100, OPERA 110, Live210, TWIN, white	55,46	66,00
WB 05	Swivel and tilt bracket for OPERA MKI/MKII/LYRIC/Modular/Passiv 302/305	119,33	142,00
WB 06	Swivel and tilt bracket for Basic100/Twin/210	109,24	130,00
WB 07	U-bracket (vertical) for Basic 200/400	55,46	66,00
WB 08	U-bracket (horizontal) for OPERA LIVE 202,205,402,405	74,79	89,00
WB 09	Universal wall mount bracket, swivel and tilt with Ø35mm pole mount	49,58	59,00
WB D10	Wall bracket (U-bracket) for Opera 210D, 410 D	77,31	92,00
WB D25	Wall bracket (U-bracket) for Opera 402D, 405D, 602D, 605D	77,31	92,00

OPERA 110 Mobile			
Mobile Speaker	10" Bass/1" HF 2-Way Bi-Amp Active Loudspeaker, 12V battery, 80+20 W / Music 40 + 10 W RMS 117 dB SPL max., multifunctional housing, adjustable XLR/jack input, MIC/Line input switchable. Microphone presence adjuster, Mixed Line out, ¼" jack, Dynamic softclip limiter. Build in 16-channel UHF receiver slanted backside (45°&30°), power amp with auto sleep mode, battery life up to 12 hours. Dimesions 550x312x280 mm, Weight 12 kg	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.

OPERA 110 MOBILE	10" dB Bass, 1" HF, 80+20 W Music, 40+10 W/ RMS, 118 dB SPL max Optional in addition hand held or pocket transmitter UH903M/P or UH860M/P available. Dimensions: 22x12x11 in. Weight: 26 lbs	670,59	798,00
OPERA 110 MOBILE Vocal Set	10" dB Bass, 1" HF, 80+20 W Music, 40+10 W/ RMS, 118 dB SPL max + UH860M and TT02 Cover for Opera110 Mobile	770,59	917,00
OPERA 110 MOBILE Lavalie Set	10" dB Bass, 1" HF, 80+20 W Music, 40+10 W/ RMS, 118 dB SPL max + UH860P, LMB100S and TT02 Cover for Opera110 Mobile	770,59	917,00
OPERA 110 MOBILE Head Set	10" dB Bass, 1" HF, 80+20 W Music, 40+10 W/ RMS, 118 dB SPL max + UH860P, HMB100S and TT02 Cover for Opera110 Mobile	831,09	989,00

Accessories Mobile			
Mobile Speaker		Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.

UH 903M	UHF hand held transmitter with TG-X58 capsule, 16 switchable frequencies, 2xAAA-Batterie	175,63	209,00
860 M	UHF Handeld Transmitter with Condenser Capsule, 16 selectable frequencies, 2x AA batteries	68,91	82,00
860P	UHF pocket transmitter with 5V phantom power and adjustable sensivity PEAK-LED, 2x AA Batteries	68,91	82,00
LMB 100 S	Condenser lapell mic (cardioid) incl. clip and windshield, black	58,82	70,00
LMB 1000 S	Condenser lapell mic (omni) incl. Clip, black	99,16	118,00
HMB 100 S	Condenser Headset (cardioid) black	58,82	70,00
HMS 200 S	Discrete condenser ear-mic (omni), skin coloured	58,82	70,00
HMS 2000 S	Discrete condenser headset (omni), skin coloured	139,50	166,00
TT 02	Cover for OPERA 110 MOBILE	41,18	49,00

ARENA Series			
Passive 2-Way Speakers	High quality passive 2-way Speaker, 15mm birch/poplar multiplex, multifunctional housing, integrated pole mount on 35mm thread, integrated Flying Points, CD-Horn 90°x70° (90°x40°) rotatable, 2x Neutrik Speakon Inputs, High Frequency Protection, impedance 8 Ohms.	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.

ARENA 8	8" dB woofer with 1,5" voice coil, 1" HF driver, 400 W peak, 200 W / RMS, 122 dB SPL max, frequency response 100Hz-19kHz (-3dB), crossover frequency 2100 Hz, 10xM8 fly-points, Dimensions- 270x458x270 , Weight 9.3 KG / 20,5 lbs	300,00	357,00
ARENA 10	10" dB woofer with 2" voice coil, 1" HF driver, 600 W peak, 300 W / RMS, 125 dB SPL max, frequency response 95Hz-19kHz (-3dB), crossover frequency 2100 Hz, 10xM8 fly-points, Dimensions- 321x508x320, Weight 12,2 KG / 26,9 lbs	329,41	392,00
ARENA 12	12" dB woofer with 2" voice coil, 1,4" HF driver, 800 W peak, 400 W / RMS, 127 dB SPL max, frequency response 80Hz-19kHz (-3dB), crossover frequency 2000 Hz, 12xM10 fly-points,Dimensions- 379x631x378, Weight 17.8 KG / 39,3 lbs	439,50	523,00
ARENA 15	15" dB woofer with 2.5" voice coil, 1,4" HF driver, 800 W peak, 400 W / RMS, 129 dB SPL max, frequency response 80Hz-19kHz (-3dB), crossover frequency 2000 Hz, 12xM10 fly-points, Dimensions- 458x710x453, Weight 23,7 KG / 52 lbs	550,42	655,00

ARENA Series			
Passive Subwoofers	Passive bass-reflex enclosure 18mm birch Multiplex, 2x Neutrik® Speakon Inputs, black structured paint, 1xM20 thread for pole mount, 8 Ohms	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.

ARENA SW 15	15" dB woofer with 3" voice coil, 1000 W/ peak, 500W/RMS, 130 dB SPL, 12dB/octave filter, Crossover frequency 150Hz, response 40Hz-150Hz, Dimensions: 470x600x600	449,58	535,00
ARENA SW 18	18" dB woofer with 4" voice coil, 1200 W/ peak, 600W/RMS, 132 dB SPL, 12dB/octave filter, Crossover frequency 150Hz, response 35Hz-150Hz, Dimensions: 470x600x600	550,42	655,00

## ARENA Series Accessories

Advies VK prijs  
excl. B.T.W. Advies VK prijs  
incl.19% B.T.W.

WBA 810-WB06	Wallmount bracket, adjustable, for ARENA 8, ARENA 10 and LIVE210	189,08	225,00
WBA 08	Wallmount bracket for ARENA 8	84,87	101,00
WBA 10	Wallmount bracket for ARENA 10	99,16	118,00
WBA 12	Wallmount bracket for ARENA 12	109,24	130,00
WBA 15	Wallmount bracket for ARENA 15	119,33	142,00
TE M8	Eyebolts Set M8 for ARENA 8 and ARENA 10	20,17	24,00
TE M10	Eyebolts Set M10 for ARENA 12 and ARENA 15	20,17	24,00
DS 2	Professional Pole Mount, adjustable, M20 thread	51,26	61,00
SWK 18	4 x 100mm wheels	72,27	86,00

## Accessories TWIN Series

Advies VK prijs  
excl. B.T.W. Advies VK prijs  
incl.19% B.T.W.

TT 02	Gig bag for OPERA 110, 201 and TWIN 128, 208	41,18	49,00
WB 04	Wall mount bracket for OPERA 110, 201 & TWIN 128, 208,	55,46	66,00
WB 04 W	Wall mount bracket for OPERA 110, 201 & TWIN 128, 208, version W in white	55,46	66,00

## HPA Amplifier high power amplifiers

Advies VK prijs  
excl. B.T.W. Advies VK prijs  
incl.19% B.T.W.

HPA 1000	Class-HD power amp with 2 x 150W @ 4Ohms, 2 x 330W @ 8 Ohms, 1 x 1020W @ 8 Ohms Damping factor >300, slew rate 50V/μs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 15 kg/33lbs	379,83	452,00
HPA 1400	Class-HD power amp with 2 x 740W @ 4Ohms, 2 x 440W @ 8 Ohms, 1 x 1480W @ 8 Ohms damping factor >300, slew rate 50V/μs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 17 kg/37,47lbs	449,58	535,00
HPA 2800	Class-HD power amp with 2 x 1400W @ 2 Ohms, 2 x 1050W @ 4 Ohms, 2 x 680W @ 8 Ohms, 1 x 2800W @ 4 Ohms damping factor >300, slew rate 50V/μs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 21 kg/46,29lbs	620,17	738,00
HPA 3100 L	Class-HD power amp with switch-mode supply, 2 x 1700W @ 2 Ohms, 2 x 1200W @ 4 Ohms, 2 x 800W @ 8 Ohms, 1 x 3400W @ 4 Ohm, 1 x 2400W @ 8 Ohms, damping factor >300, slew rate 50V/μs, 2 x XLR-Input, 2 x XLR-Output, 2 x Speakon-Output, 19", 2U, 482x89x420mm, weight 14 kg/30,86lbs	880,67	1.048,00

## PU 920 UHF Diversity System

UHF Diversity System with 16 selectable Frequencies and digital pilot tone control integrated display. 1/2 Rack mountable hybrid Metal housing detachable Antenna (BNC), Battery status LED Display, digital Squelch - and Volume control, XLR-Out. Up to 8 Systems per TV-channel

Advies VK prijs  
excl. B.T.W. Advies VK prijs  
incl.19% B.T.W.

PU 920 M	incl. hand held transmitter 920 M with beyerdynamic TG-X58 capsule (hypercardioid)	419,33	499,00
PU 920 L Pro	incl. Pocket transmitter 920 P with condenser lavalier mic LMB 1000M	419,33	452,00
PU 920 G	incl. Pocket transmitter 920 P with cable 6,3 mm Jack VH806	379,83	499,00
PU 920 H	incl. Pocket transmitter 920 P with condenser headset HMB 100M	419,33	452,00
PU 920 H Pro	incl. Pocket transmitter 920 P with condenser beyerdynamic headset VH531	520,17	499,00
PU 920 A	incl. Pocket transmitter 920 P with condenser ear mic HMS 200M	389,92	619,00
PU920 A Pro	incl. Pocket transmitter 920 P with condenser mic HMS 2000M	449,58	464,00
PU920 P	incl. Pocket transmitter 920 P without microphone	379,83	535,00
UH 920 M	hand held transmitter PU 920 only	200,84	239,00
UH 920 P	Pocket transmitter PU 920 only	150,42	179,00

## PU 903 UHF Diversity System

Advies VK prijs  
excl. B.T.W. Advies VK prijs  
incl.19% B.T.W.

PU 903 M	incl. hand held transmitter 903M, dynamic capsule (hypercardioid)	333,61	397,00
PU 903 L PRO	incl. Pocket transmitter 903P, condenser lapell mic LMB1000M	349,58	397,00
PU 903 G	incl. Pocket transmitter 903G, adaptor cable 6,3mm jack VH806	333,61	416,00
PU 903 H	incl. Pocket transmitter 903P, condenser headset HMB100M	349,58	397,00
PU 903 H Pro	incl. Pocket transmitter 903P, condenser beyerdynamic headset VH531	430,25	416,00
PU 903 A	incl. Pocket transmitter 903P, condenser ear mic HMS200M	349,58	512,00
PU 903 A Pro	incl. Pocket transmitter 903P, condenser headset HMS2000M	430,25	416,00
PU 903 P	incl. Pocket transmitter 903P, without microphone	333,61	512,00
UH 903 M	Hand held transmitter 903M only	175,63	209,00
UH 903 P	Pocket transmitter 903P only	155,46	185,00

<b>PU 860</b> <b>UHF Diversity System</b>	UHF 16 channel Diversity System ½ rack mount space. Receiver with squelch and volume control, Jack-Output, incl. PSU, up to 4 parallel Systems, Battery > 20H (2 x AA 1,5V Alkaline).	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.
--	---	---------------------------------	------------------------------------

<b>PU860 M</b>	incl. hand held transmitter 860 M with free floating Condenser capsule	<b>129,41</b>	<b>154,00</b>
<b>PU860 L</b>	incl. Pocket transmitter 860 P with Condenser clip on Mic. LMB100S	<b>149,58</b>	<b>178,00</b>
<b>PU860 G</b>	incl. VH806 guitar set	<b>149,58</b>	<b>178,00</b>
<b>PU860 H</b>	incl. Pocket transmitter 860 P with condenser headset HMB 100S	<b>159,66</b>	<b>190,00</b>
<b>PU860 H Pro</b>	incl. Pocket transmitter 860 P with condenser headset beyerdynamic VH 831	<b>259,66</b>	<b>309,00</b>
<b>PU860 A</b>	incl. Pocket transmitter 860 P with condenserdenser ear mic HMS 200S	<b>159,66</b>	<b>190,00</b>
<b>PU860 A Pro</b>	incl. Pocket transmitter 860 P with condenser mic HMS 2000S	<b>241,18</b>	<b>287,00</b>
<b>PU 860 P</b>	incl. Pocket transmitter 860 P without microphone	<b>129,41</b>	<b>154,00</b>

<b>UH 860 M</b>	hand held transmitter 860 M only	<b>68,91</b>	<b>82,00</b>
<b>UH 860 P</b>	Pocket transmitter 860 P only	<b>68,91</b>	<b>82,00</b>

<b>IEM 500</b> <b>UHF Mono In Ear System</b>	UHF Mono In Ear-System, 5 frequencies available, up to 4 frequencies parallel, half rackmount space transmitter with antenna, jack input , Peak-LED, Battery > 10 hours ( 2x AA Alkaline-Batteries )	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.
---	--	---------------------------------	------------------------------------

<b>IEM 500 InEar – Set</b>	Includes IEM 500 ½ rack mount space transmitter, IEM 500 R Receiver. MPH100 Headphones are optional.	<b>149,58</b>	<b>178,00</b>
<b>IEM 500 R Receiver</b>	UHF Mono In Ear Receiver	<b>89,08</b>	<b>106,00</b>
<b>MPH 100 MKIII Earphones</b>	In-Ears incl. 3 different ear pieces and bag. 16 ohms skin coloured	<b>50,42</b>	<b>60,00</b>

<b>IEM 600</b> <b>UHF Mono In Ear System</b>	UHF Mono In Ear-System,16 selectable frequencies 4 frequencies parallel, half rackmount space transmitter with antenna, jack input , Peak-LED, Battery > 10 hours	Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.
---	---	---------------------------------	------------------------------------

<b>IEM 600 InEar – Set</b>	Includes IEM 600 ½ rack mount space transmitter, IEM 600 R Receiver. MPH100 Headphones are optional.	<b>189,08</b>	<b>225,00</b>
<b>IEM 600 R Receiver</b>	UHF Mono In Ear Receiver with 16 selectable frequencies.	<b>109,24</b>	<b>130,00</b>
<b>MPH 100 MKIII Earphones</b>	In-Ears incl. 3 different ear pieces and bag. 16 ohms skin coloured	<b>50,42</b>	<b>60,00</b>

<b>Accessories</b> <b>Wireless</b>		Advies VK prijs excl. B.T.W.	Advies VK prijs incl.19% B.T.W.
---------------------------------------	--	---------------------------------	------------------------------------

<b>PU920 / 903 Series</b>			
---------------------------	--	--	--

<b>VH 507</b>	Rackmount-Set for 2 x PU920/902 receiver	<b>32,77</b>	<b>39,00</b>
<b>AS 6W</b>	Active antenna splitter for up to 6 x PU920 / 902 receiver	<b>449,58</b>	<b>535,00</b>

<b>PU 850 / 860</b>			
---------------------	--	--	--

<b>VH 507</b>	19" Rackmount Set for 2 receivers receiver PU850/860	<b>32,77</b>	<b>39,00</b>
---------------	--	--------------	--------------

<b>Microphones PU920</b>			
--------------------------	--	--	--

<b>LMB 100 M</b>	Condenser lavalier mic (cardioid) incl. Clip and wind shield, Colour: black	<b>58,82</b>	<b>70,00</b>
<b>LMB 1000 M</b>	Condenser lavalier mic (omnidirectional) incl. Clip , Colour: black	<b>99,16</b>	<b>118,00</b>
<b>HMB 100 M</b>	Condenser Headset (cardioid) Colour: black	<b>58,82</b>	<b>70,00</b>
<b>HMS 200 M</b>	Discrete condenser Ear-Mic (omnidirectional) Skin coloured	<b>58,82</b>	<b>70,00</b>
<b>HMS 2000 M</b>	Discrete condenser Ear-Mic (omnidirectional) Skin coloured	<b>139,50</b>	<b>166,00</b>
<b>VH 531</b>	Beyerdynamic OPUS54 Headset, condenser capsule incl. windshield	<b>139,50</b>	<b>166,00</b>
<b>VH 506L</b>	Adaptor cable 6,3mm jack, colour:black	<b>29,41</b>	<b>35,00</b>

<b>Microphones PU903/850/860</b>			
----------------------------------	--	--	--

<b>LMB 100 S</b>	Condenser lavalier mic (cardioid) incl. Clip and wind shield, Colour: black	<b>58,82</b>	<b>70,00</b>
<b>LMB 1000 S</b>	Condenser lavalier mic (omnidirectional) incl. Clip , Colour: black	<b>99,16</b>	<b>118,00</b>
<b>HMB 100 S</b>	Condenser Headset (cardioid) Colour: black	<b>58,82</b>	<b>70,00</b>
<b>HMS 200 S</b>	Discrete condenser Ear-Mic (omnidirectional) Skin coloured	<b>58,82</b>	<b>70,00</b>
<b>HMS 2000 S</b>	Discrete condenser Ear-Mic (omnidirectional) Skin coloured	<b>139,50</b>	<b>166,00</b>
<b>VH 831</b>	Beyerdynamic OPUS54 Headset, condenser capsule incl. windshield	<b>139,50</b>	<b>166,00</b>
<b>VH 806</b>	Adaptor cable 6,3mm jack, colour:black	<b>29,41</b>	<b>35,00</b>

<b>InEar Systems</b>			
----------------------	--	--	--

<b>VH 507</b>	19" Rackmount Set for 2 transmitter IEM500 / 600 / 1100	<b>32,77</b>	<b>39,00</b>
<b>MPH 100 MKIII Earphones</b>	In-Ears incl. 3 different ear pieces and bag. 16 ohms skin coloured	<b>50,42</b>	<b>60,00</b>