



PRICELIST RETAIL October 2009

www.qscaudio.com

| PLX2 - 04 SERIES AMPLIFIERS | | | MSRP |
|-----------------------------|-----------------|---|-----------------|
| P/D | PLX 1104 | Stereo - 325W/8Ohm - 550W/4Ohm - height 2RU. | 869,00 € |
| P/D | PLX 1804 | Stereo - 600W/8Ohm - 900W/4Ohm - height 2RU. | 969,00 € |
| | PLX4WE | 3-year warranty extension (max.: 6 year) on the PLX...4 type amplifiers. Extreme lightweight amplifiers - 5,9 kg. Not for use with 2 Ohm loads! <u>The PLX2-02 touring grade amplifiers are included in the Concert Systems price list.</u> | 99,00 € |

| RMX SERIES AMPLIFIERS | | | |
|-----------------------|-------------------|---|-------------------|
| P/D | RMX 850 | Stereo - 200W/8Ohm - 300W/4Ohm - height 2RU. | 449,00 € |
| P/D | RMX 1450 | Stereo - 280W/8Ohm - 450W/4Ohm - height 2RU. | 529,00 € |
| P/D | RMX 1850HD | Stereo - 360W/8Ohm - 600W/4Ohm - height 2RU. | 659,00 € |
| P/D | RMX 2450 | Stereo - 500W/8Ohm - 750W/4Ohm - height 2RU. | 749,00 € |
| | RMX1WE | 3-year warranty extension (max.: 6 year) on the RMX850-1450-1850HD-2450 amplifiers. | 99,00 € |
| | RMX 4050HD | Stereo - 800W/8Ohm - 1300W/4Ohm - height 3RU - dual power supply. | 1.439,00 € |
| | RMX 5050 | Stereo - 1050W/8Ohm - 1600W/4Ohm - height 3RU - dual power supply. | 1.659,00 € |
| | RMX2WE | 3-year warranty extension (max./ 6 year) on the RMX4050HD-5050 amplifiers. Compact size - clip limiters - toroidal transformers - selectable low frequency filters - Speakon outputs - cont.variable fan speed. | 149,00 € |

| GX SERIES AMPLIFIERS | | | |
|----------------------|-------------|--|-----------------|
| | GX 3 | Stereo - 300W/8Ohm - 425W/4Ohm - height 2RU. | 359,00 € |
| | GX 5 | Stereo - 500W/8Ohm - 700W/4Ohm - height 2RU. | 469,00 € |
| | GXWE | 3-year warranty extension (max./ 6 year) on the GX type amplifiers. Compact size - Guardrail™ protection - built-in subwoofer/satellite cross-over. | 79,00 € |

| HPR SERIES POWERED LOUDSPEAKERS | | | |
|---------------------------------|------------------------|---|-------------------|
| Full Range Cabinet | | | |
| | HPR122i | 12" 2-way full range multipurpose powered loudspeaker, 400W LF/ 100W HF, 35 mm pole socket, flyable. | 1.129,00 € |
| | HPR122iWE | 3-year warranty extension (max.: 6 year) on the HPR122i powered speaker. | 99,00 € |
| P/D | HPR152i | 15" 2-way powered loudspeaker, 100W HF/ 400W LF, pole socket, flyable. | 1.399,00 € |
| P/D | HPR153i | 15" 3-way powered loudspeaker, 100W HF/ 100W MF/ 400W LF, flyable. | 1.599,00 € |
| Subwoofers | | | |
| P/D | HPR151i | 15" powered subwoofer, 700W, integral stereo cross over, 35mm pole socket on top. | 1.399,00 € |
| P/D | HPR181i | 18" powered subwoofer, 700W, integral stereo cross over, 35mm pole socket on top. Four rear mounted caster wheels. | 1.699,00 € |
| | HPRiWE | 3-year warranty extension (max.: 6 year) on the HPR152-153-151-181i powered speakers. | 149,00 € |
| Accessories | | | |
| | HPR Pole 26 | 35mm, 66cm (26") speaker pole for use with the HPR152i. | 49,00 € |
| | HPR Pole 31 | 35mm, 79mm (31") speaker pole for use with the HPR122i. | 49,00 € |
| | HPR Yoke 122 | Powder coated steel yoke for mounting the HPR122i to structures. | 169,00 € |
| | HPR M10 kit | M10 forged shoulder, steel eyebolt kit for suspending HPR122. | 59,00 € |
| | HPR Sus kit 122 | M10 forged shoulder, steel eyebolt kit with aluminium pull-back bar for horizontal suspension of the HPR122i. | 109,00 € |
| | HPR Cover 122 | Weather resistant, heavy duty, Nylon/Cordura soft cover for the HPR122i. | 59,00 € |
| | HPR Cover 152 | Weather resistant, heavy duty, Nylon/Cordura soft cover for the HPR152i. | 69,00 € |
| | HPR Cover 153 | Weather resistant, heavy duty, Nylon/Cordura soft cover for the HPR153i. | 79,00 € |
| | HPR Cover 151 | Weather resistant, heavy duty, Nylon/Cordura soft cover for the HPR151i. | 69,00 € |
| | HPR Cover 181 | Weather resistant, heavy duty, Nylon/Cordura soft cover for the HPR181i. | 119,00 € |

| K-SERIES PORTABLE POWERED LOUDSPEAKERS | | | |
|--|-----------------|---|-------------------|
| P/D | K8 | 1000W active 2-way system, 8" + 1,75", 105° conical waveguide, fixed DSP, dual angle pole socket. | 799,00 € |
| P/D | K10 | 1000W active 2-way system, 10" + 1,75", 90° conical waveguide, fixed DSP, dual angle pole socket. | 849,00 € |
| P/D | K12 | 1000W active 2-way system, 12" + 1,75", 75° conical waveguide, fixed DSP, dual angle pole socket. | 899,00 € |
| P/D | KSUB | 1000W active subwoofer, bandpass, dual 12", large transport casters, threaded pole socket - 35mm pole included. | 1.259,00 € |
| | KWE | 3-year warranty extension (max.: 6 year) on the K-series powered speakers. | 99,00 € |
| | K8 Tote | Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura™ material for K8. | 79,00 € |
| | K10 Tote | Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura™ material for K10. | 89,00 € |

| | | |
|---------------------------------|---|-----------------|
| K12 Tote | Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura™ material for K12. | 99,00 € |
| KSUB Cover | Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura™ material for KSUB with grille guard. | 109,00 € |
| K8 YM | K8 ypke mount. | 139,00 € |
| K10 YM | K10 yoke mount. | 149,00 € |
| K12 YM | K12 yoke mount. | 159,00 € |
| ISIS SERIES LOUDSPEAKERS | | MSRP |
| 8" 2-way | | |
| I-82H | Compact two-way system, rotatable wave guide horn, 400W, 8 Ohm. Pole mount and mic stand adapter included. Weather resistant. | 449,00 € |
| I-82HWE | 3-year warranty extension (max.: 6 year) on the I-82H speaker. | 79,00 € |
| dual 8" 2-way | | |
| P/D I-282H | Dual 8", two-way system, rotatable wave guide horn, 450 W, 8 Ohm. Pole cup, yoke mount with monitor feet included. Weather resistant. | 799,00 € |
| I-282HWE | 3-year warranty extension (max.: 6 year) on the I-282H speaker. | 99,00 € |
| Accessories | | |
| I-YM8 | Yoke mount for I-82H, black. | 89,00 € |

This price list does not include professional RECUPEL taxes.

Standard warranty on QSC products: 3 years.

Supersedes all previous lists.

Subject to changes without notice.

MSRP = End user price , VAT incl.



PROFESSIONAL POWER AMPLIFIERS

| POWERLIGHT-3 SERIES TOURING AMPLIFIERS | | MSRP |
|---|---|-------------------|
| PL 325 | 2 Channels - 475W/8Ohm - 825W/4Ohm - 1250W/2Ohm - 2RU. | 1.799,00 € |
| PL 340 | 2 Channels - 800W/8Ohm - 1200W/4Ohm - 2000W/2Ohm - 2RU. | 2.299,00 € |
| PL 380 | 2 Channels - 1500W/8Ohm - 2600W/4Ohm - 4000W/2Ohm - 2RU. Class D amplifier. Powerwave™ switching technology - improved output stages - Dataport connector. Flexible input connectors - adj. line level - clip limiting/high-pass switches with LED indications. | 3.599,00 € |

NEW IN THE CONCERT SYSTEM RANGE - THE COST-EFFECTIVE SOLUTION FOR ENTERTAINERS, MUSICIANS AND PLX2 SERIES AMPLIFIERS

| | | |
|-----------------|--|-------------------|
| PLX 1802 | Stereo - 330W/8Ohm - 575W/4Ohm - height 2RU. | 1.159,00 € |
| PLX 2502 | Stereo - 450W/8Ohm - 750W/4Ohm - height 2RU. | 1.299,00 € |
| PLX 3102 | Stereo - 600W/8Ohm - 1000W/4Ohm - height 2RU. | 1.399,00 € |
| PLX 3602 | Stereo - 775W/8Ohm - 1250W/4Ohm - height 2RU. Third generation Powerwave™ power supply - Neutrik Combo inputs - Speakon outputs- defeatable proportional clip limiters - subwoofer filtering - computer designed cooling - lightweight. | 1.699,00 € |

LOUDSPEAKERS

| WIDELINE-10 Series | | |
|--------------------------------|--|-------------------|
| WL2102-W | Wide angle, line array speaker, dual 10" LF drivers, 140° x 10° patented waveguide, wooden cabinet, integral array hardware. Available in black or white. | 4.799,00 € |
| WL218-SW | Dual 18" ported subwoofer, can be ground stacked or suspended in arrays using integral array construction suspension hardware, transportation dolly included. | 5.699,00 € |
| GP-218-SW | Rectangular version of the WL218-SW, without the rigging hardware and M-10 suspension points. | 3.799,00 € |
| Wideline-10 accessories | | |
| WL Small grid | Steel grid used for stacking 4 or flying 8 WL2102, manufactured by CIM. Available in black or white. | 1.699,00 € |
| WL Large grid | Steel grid used for stacking 12 or flying 24 WL2102, manufactured by CIM. Available in black or white. | 2.199,00 € |
| CVR218 | Weather resistant, heavy duty, Nylon/Cordura soft cover for the WL-218sw. Cut-outs allow acces to all handles. Belly straps secure the cover when dolly is used. | 299,00 € |
| AF218-SW | Aluminium frame for stacking 4 or flying 8 WL218-sw subwoofers. | 3.299,00 € |

| WIDELINE-8 Series | | |
|---|--|-------------------|
| WL3082 | Ultra compct high peformance line array module; dual Nd 8" cone LF; 3" titanium diaphragm Nd HF driver, 140° horizontal coverage, integral array-building hardware. Available in black or white. | 3.399,00 € |
| WL212-SW | Ultra compact dual 12" bandpass subwoofer designed for use with the WL3082; can be ground-stacked or suspended and arrayed with WL3208; integral array hardware. Available in black or white. | 3.299,00 € |
| GP212-SW | Same as WL212-SW, without flying hardware. Pole mount included. | 2.199,00 € |
| Wideline-8 accessories | | |
| AF3082-S | Small array frame for use with up to 12 WL3082 modules or 4 WL212-sw; it can be used with EB3082 to construct arrays with WL212-SW suspended behind WL3082. | 1.299,00 € |
| AF3082-L | Large array frame for use with up to 12 WL3082 modules and 4 WL212-sw subs. | 2.299,00 € |
| PB3082 | Pull back bar for adjusting aiming angle of WL3082 arrays. May also be used to hang small arrays. | 699,00 € |
| EB3082 | Extension bar for use in conjunction with two AF3082-S frames; allows arrays of WL212-SW to be suspended behind arrays of WL3082 line array modules. | 1.299,00 € |
| AF8-10 | Transition array frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-W Wideline 10 enclosures. | 1.699,00 € |
| CP3082 | Caster pallet for transport of 4 WL3082; includes padded nylon cover. | 699,00 € |
| CP212-1 | Castor pallet & padded cover for transporting 1 x WL212-SW or GP212-SW. | 799,00 € |
| CP212-2 | Castor pallet & padded cover for transporting 2 x WL212-SW or GP212-SW. | 899,00 € |
| All Wideline-8 accessories are available in black or white. | | |

| ILA Series | | |
|-------------------|---|-------------------|
| WL2082-i | Installation line array - dual Nd 8" cone LF, dual titanium diaphr. Nd compr. HF drivers; bi-amp/tri-amp operation, 140° horizontal coverage, integral array hardware. Available in black or white. | 2.099,00 € |
| WL115-SW | 15" bandpass subwoofer - for use with the WL-2082i array, can be ground-stacked or suspended and arrayed with the WL-2082, integral array hardware. Available in black or white. | 2.499,00 € |

ILA accessories

| | | |
|------------------|---|-----------------|
| FB2082-i | Fly-bar for WL2802-i and WL115-sw. Available black and white. | 999,00 € |
| EB2082-i | Extension bar. Allows WL115-sw to be suspended behind WL8202-i. | 999,00 € |
| PB2082-i | Pullback bar for WL2082i. | 349,00 € |
| AB2082-i | Angle bracket - allows for greater vertical splay between WL2082i and WL115-sw enclosures in ground stacked configurations. | 179,00 € |
| QRP-KIT-1 | Kit of 4 quick release pins for use instead of the included bolts. | 99,00 € |
| GS-115-SW | ground stack adapter- allows construction of ground stacked ILA arrays. | 269,00 € |

SIGNAL PROCESSING

Filter modules

| | | |
|------------|--|-----------------|
| UF3 | Univ. filter - 4th order adj.high-low-bandpass+CD-eq. per chann. | 139,00 € |
|------------|--|-----------------|

DSP

| | | |
|--------------|--|-------------------|
| SC-28 | Digital Signal processor - 2 x 8 - for use with QSC loudspeaker systems. | 1.699,00 € |
|--------------|--|-------------------|

This price list does not include professional RECUPEL taxes.

Payments on delivery get an extra 2% discount.

Warranty on QSC products: 3 years.

Supersedes all previous lists.

Subject to changes without notice.